

Unedited Blots and Gel Images for:

Hair Follicle Epithelial Stem Cells Contribute to Interfollicular Epidermis during Homeostasis

Elnaz Ghotbi^{1,#}, Edem Tchegnon^{1,#}, Ze Yu², Tracey Shipman¹, Zhiguo Chen³, Yumeng Zhang³, Renee M. McKay³, Chao Xing^{2,4,5}, Chung-Ping Liao^{1,6}, and Lu Q. Le^{1,3,*}

¹Department of Dermatology, University of Texas Southwestern Medical Center, Dallas, TX 75390, USA

²McDermott Center for Human Growth and Development, University of Texas Southwestern Medical Center, Dallas, TX 75390, USA

³Department of Dermatology, University of Virginia, Charlottesville, VA, 22903

⁴Department of Bioinformatics, University of Texas Southwestern Medical Center, Dallas, TX 75390, USA

⁵O'Donnell School of Public Health, University of Texas Southwestern Medical Center, Dallas, TX 75390, USA

⁶Graduate Institute of Medical Sciences, College of Medicine, Taipei Medical University, Taipei, Taiwan

These authors contributed equally

*Author for Correspondence:

Lu Q. Le, MD, PhD

Professor and Chair

Department of Dermatology

University of Virginia School of Medicine

Charlottesville, VA, USA


Email: bkn6qd@uvahealth.org

Running title: Epithelial Stem Cell Population for Interfollicular Epidermis


Related to Figure 7C

HEK293T (DAY 5)

BIM



Cleaved Caspase-3




GAPDH




Related to Figure 7C

HEK293T (DAY 5)

Krox20_Protein Tech




GAPDH




Related to Figure 7C

HEK293T (DAY 9)


BIM



Cleaved Caspase-3




GAPDH




Related to Figure 7C

HEK293T (DAY 9)

Krox20_Protein Tech




GAPDH



Related to Figure 7C

HHFK (DAY 4)


BIM



Cleaved Caspase-3




GAPDH



Related to Figure 7C

HHFK (DAY 4)

Krox20_Protein Tech



GAPDH

